

LHB Series LED Linear Highbay

Key Features



- With LM79 & LM80;
- 2ft:220W MIN 4ft: 320W MAX available.
- Luminous efficacy: 130lm/w
- Superior isolated driver: 0-10V dimming; Flicker free
- PF 0.90; Driver efficiency 87%; THD<20%
- Installation: Pendant & Chain
- Apply to dry location
- Input Voltage:120-277v,200-480V
- CCT: 3000K 4000K 5000K
- ETL CETL,DLC FCC certification
- 5 years warranty



The LHB series is an affordable LED high bay with a DLC Premium rating. Available in 220w, 300w and 320 watts it can be bought with or without a factory installed microwave sensor. Perfect for both large and small jobs the HB5 can be surface mounted, hung or pendant mounted. LED Linear high bays are the ideal choice for warehouses, factories, gymnasiums, stores and industrial facilities.



Image Show




Product Range



Family	Modification	Watts	Size	Voltage	CCT	Driver	Motion Sensor	Emergency	cord types
RUIDISI	Linear highbay	XX	X	AAA	CCC	C	X	Y	G
RDS	LHB	220W	2= 2ft	277=120-277V	40K = 4,000 K	A=ARC	S=with Sensor	E=with Emergency	C=with Supply Cord
		300W	4= 4ft	480=200-480V	50K = 5,000 K	A=ARC	Black=Without Sensor	Black=without Emergency	Blank=without Supply Cord
	320W					S=Sosen			

Model	Size	Watts	Dimming	CCT	Lumens/W	Dimensions (LxWxH)
RDS-LHB-220W-2FTAAA-CCC	2 ft	220 W	0-10V	4,000 K 5,000 K	28,600 lm	23.8x17.3x3.62"
RDS-LHB-220W-4FTAAA-CCC	4 ft	220 W	0-10V	4,000 K 5,000 K	28,600 lm	45.9*12.6*3.62"
RDS-LHB-300W-4FTAAA-CCC	4 ft	300 W	0-10V	4,000 K 5,000 K	39,000 lm	45.9*12.6*3.62"
RDS-LHB-320W-4FTAAA-CCC	4 ft	320 W	0-10V	4,000 K 5,000 K	41,600 lm	45.9*17.3*3.62"

Dimensions



Part No.	L(inch)	W(inch)	H1(inch)	H2(inch)
RDS-LHB-220W-2FTAAA-CCC	23.8"	17.3"	1.89"	3.62"
RDS-LHB-220W-4FTAAA-CCC	45.9"	12.6"	1.89"	3.62"
RDS-LHB-300W-4FTAAA-CCC	45.9"	12.6"	1.89"	3.62"
RDS-LHB-320W-4FTAAA-CCC	45.9"	17.3"	1.89"	3.62"

Product Packing



Part No.	Power	Qty/Carton(pcs)	Carton Size	Net weight	Gross Weight
RDS-LHB-220W-2FTAAA-CCC	220W	2	65.5*27*50.5CM	19Kg	25Kg
RDS-LHB-220W-4FTAAA-CCC	220W	2	125.5*27*38.5CM	21Kg	27.2Kg
RDS-LHB-300W-4FTAAA-CCC	300W	2	125.5*27*38.5CM	22Kg	28.2Kg
RDS-LHB-320W-4FTAAA-CCC	320W	2	125.5*27*50.5CM	23.5Kg	29.7Kg